

7月18日 (木)

第1日目

ポスター会場 | ANA クラウンプラザホテル金沢 3F 瑞雲

Poster 1

AF balloon 1 10:00-11:10

Chair : Takehiko Keida (Chidoribashi Hospital, Japan)
Chair : Satoshi Higuchi (Tokyo Women' s Medical University, Japan)

- P1-1 AN EXPERIMENTAL STUDY COMPARING LESION FORMATION BY NONOCCLUSIVE CRYOBALLOON ABLATION BETWEEN POLARx FIT AND ARCTIC FRONT Advance(AFA)- Pro 23
Speaker : Yumi Yasui (Yokohama City Minato Red Cross Hospital, Japan)
- P1-2 IMPACT OF PULMONARY VEIN ISOLATION ON SUPERIOR VENA CAVA VOLTAGE WITH CRYOBALLOON ABLATION 24
Speaker : Aiko Takami (Tottori Prefectural Central Hospital, Japan)
- P1-3 CLINICAL CHARACTERISTICS OF LESION DURABILITY IN PATIENTS WITH ATRIAL FIBRILLATION USING NOVEL CRYOBALLOON 24
Speaker : Kazuya Murata (Yokohama City Minato Red Cross Hospital, Japan)
- P1-4 EFFICACY OF SIZE-ADJUSTABLE CRYOBALLOON FOR LEFT COMMON PULMONARY VEIN ISOLATION IN PATIENTS WITH ATRIAL FIBRILLATION 25
Speaker : Kenichi Tokutake (The Jikei University School of Medicine, Japan)
- P1-5 COMPARISON OF TWO CRYOBALLOON SYSTEM FOR PULMONARY VEIN ISOLATION 25
Speaker : Miwa Ito (Miyazaki Medical Association Hospital, Japan)
- P1-6 COMPARING CRYOBALLOON AND CONTACT-FORCE GUIDED RADIOFREQUENCY ABLATION IN PULMONARY VEIN ISOLATION FOR ATRIAL FIBRILLATION IN PATIENTS WITH HYPERTROPHIC CARDIOMYOPATHY 26
Speaker : Takahiko Kinjo (Hirosaki University Graduate School of Medicine, Japan)
- P1-7 INITIAL CLINICAL EXPERIENCE OF PULMONARY VEIN CARINA ABLATION IN CONJUNCTION WITH PULMONARY VEIN ISOLATION USING THE CRYOBALLOON IN PATIENTS WITH ATRIAL FIBRILLATION 26
Speaker : Fuminori Odagiri (Juntendo University Urayasu Hospital, Japan)

Poster 2

Clinical Studies 1 10:00-11:10

Chair : Masato Murakami (Shonan Kamakura General Hospital, Japan)
Chair : Masashi Kanemoto (Saiseikai Yamaguchi General Hospital, Japan)

- P2-1 THE CHARACTERISTICS OF RETURN-TO-WORK ANXIETY AFTER ICD IMPLANTATION IN JAPAN 27
Speaker : Yasunobu Yamagishi (Moji Medical Center, Japan)
- P2-2 EXTERNAL VALIDATION OF THE ANATOMICAL SITE CLASSIFICATION OF ABLATION SITES FOR ATRIAL FIBRILLATION USING THE CARTONET® R12.1 MODEL 28
Speaker : Wataru Sasaki (Saitama Medical University International Medical Center, Japan)
- P2-3 RADIATION EXPOSURE OF OPERATORS AND PATIENTS IN CATHETER ABLATION: WHAT AFFECTS EXPOSURE? 28
Speaker : Machiko Miyoshi (University of Fukui Hospital, Japan)
- P2-4 PREDICTIVE FACTORS FOR CEREBRAL INFARCTION ASSOCIATED WITH PERIOPERATIVE DIRECT ORAL ANTICOAGULANTS DISCONTINUATION IN PATIENTS WITH ATRIAL FIBRILLATION: EXAMINING EFFICACY OF HEPARIN BRIDGING 29
Speaker : Takeshi Inoue (Shiga General Hospital, Japan)
- P2-5 INFLUENCE OF ATRIAL FIBRILLATION RECURRENCE AFTER CATHETER ABLATION ON ADVERSE EVENTS IN PATIENTS WITH ATRIAL FIBRILLATION AND HIGH HFA-PEFF SCORE (5 OR 6) 29
Speaker : Yasuyuki Egami (Osaka Rosai Hospital, Japan)

P2-6	EXERCISE PHYSIOLOGY CONSIDERATIONS IN PATIENTS WITH ATRIAL FIBRILLATION	30
	Speaker : Ryo Takahashi (Toranomom Hospital, Japan)	

Poster 3

Case ABL 1	10:00-11:10
------------	-------------

Chair : Toshiya Kojima (Japanese Red Cross Medical Center, Japan)

Chair : Yuhei Kasai (Sapporo Cardiovascular Clinic, Japan)

P3-1	A CASE WITH HUGE LEFT ATRIAL THROMBUS AFTER PULMONARY VEIN ISOLATION SUCCESSFULLY TREATED WITH SURGICAL RESECTION	31
	Speaker : Noriko Nonoguchi (Kyorin University, Japan)	
P3-2	CLINICAL INVESTIGATION OF THE FEASIBILITY OF THE LEFT ATRIAL POSTERIOR WALL ISOLATION (LAPWI) FOR THE TREATMENT OF ATRIAL FIBRILLATION (AF) CREATED BY POLARx FIT	32
	Speaker : Masahito Suzuki (JA Toride Medical Center, Japan)	
P3-3	A CASE OF ATTEMPTING TO TREAT WOLFF-PARKINSON-WHITE SYNDROME WITH CRYOBALLOON ABLATION	32
	Speaker : Naoki Ishibashi (Hiroshima City North Medical Center Asa Citizens Hospital, Japan/Hiroshima University Hospital, Japan)	
P3-4	THE LIMITAION OF LEFT ATRIAL APPENDAGE CLOSURE IN ATRIAL FIBRILLATION PATIENTS	33
	Speaker : Hiroshi Shimada (Yokohama Minami Kyosai Hospital, Japan)	
P3-5	THE INITIAL USE OF VASCADE FOR CATHETER ABLATION	33
	Speaker : Akihiko Ueno (IMS Katsushika Heart Center, Japan)	
P3-6	INITIAL EXPERIENCE WITH VASCADE MVP VENOUS VASCULAR CLOSURE DEVICE FOR ATRIAL FIBRILLATION ABLATION	34
	Speaker : Tomoki Horie (Musashino Red Cross Hospital, Japan)	
P3-7	EFFICACY AND SAFETY OF ELECTRICAL CARDIOVERSION AS A RHYTHM CONTROL STRATEGY IN THE ELDERLY PATIENTS WITH NON-PAROXYSMAL ATRIAL FIBRILLATION	34
	Speaker : Yuko Toida (Nippon Medical School, Japan)	

Poster 4

Case ABL 2	10:00-11:10
------------	-------------

Chair : Masaaki Yashima (Nippon Medical School, Japan)

Chair : Taku Nishida (Nara Medical University, Japan)

P4-1	A CASE OF A COMMON TYPE OF AVNRT WITH MAPPING DURING SINUS RHYTHM AND RV PACING USING EnSiteX HIGH-DENSITY MAPPING TO IDENTIFY THE OPTIMAL SITE	35
	Speaker : Takeru Yamada (Shizuoka City Shizuoka Hospital, Japan)	
P4-2	USEFULNESS OF THE PEAK FREQUENCY MAP FOR IDENTIFYING ACCESSORY PATHWAYS	36
	Speaker : Takashige Sakio (Osaka Police Hospital, Japan)	
P4-3	TWO CASES WHERE LASER BALLOON ABLATION WAS USEFUL DUE TO USING PLAIN-CT 3D-CONSTRUCTIONS ON EnSiteX	36
	Speaker : Tomoharu Yoshizawa (Sagamihara Kyodo Hospital, Japan)	
P4-4	THE USEFULNESS OF ACTIVATION COLORING AND TREND TOOL SETTINGS TO IDENTIFY THE EXCITED PROPAGATION OF NOISY ULTRA-LOW VOLTAGES: A CASE REPORT	37
	Speaker : Toshio Kinoshita (Toho University Sakura Medical Center, Japan)	
P4-5	SUCCESSFUL CATHETER ABLATION OF SLOW-SLOW ATRIOVENTRICULAR NODAL REENTRANT TACHYCARDIA BASED ON VISUALIZATION OF THE ENTRANCE OF THE ANTEGRADE SLOW PATHWAY	37
	Speaker : Hiroki Yabuta (Nagoya Tokushukai General Hospital, Japan)	

Poster 5

Heart failure / Clinical studies

10:00-11:10

Chair : Taku Asano (Showa University, Japan)

Chair : Yoshifumi Ikeda (Saitama Medical University International Medical Center, Japan)

- P5-1 THE FACTORS WHICH INFLUENCED ON HIGH POWER DEVICE IMPLANTATION FOR HEART FAILURE WITH REDUCED EJECTION FRACTION PATIENTS 38
Speaker : Kengo Ayabe (Miyazaki Medical Association Hospital, Japan)
- P5-2 AN ELEVATED ESTIMATED RIGHT VENTRICULAR SYSTOLIC PRESSURE IDENTIFIED ON ECHOCARDIOGRAPHY PREDICTS HOSPITALIZATION DUE TO HEART FAILURE 39
Speaker : Toshiya Kakurai (Jichi Medical University Hospital, Japan)
- P5-3 THE TIME FROM ONSET OF QRS COMPLEX TO PEAK OF R WAVE IN LATERAL LEADS PREDICTS THE QLV IN PATIENTS WITH CRT IMPLANTATION 39
Speaker : Taro Tsuzuki (Sapporo Medical University, Japan)
- P5-4 ASSOCIATION BETWEEN NEUTROPHIL-TO-LYMPHOCYTE RATIO AND CARADIOGENIC STROKE: VALIDATION USING AN IMPLANTABLE LOOP RECORDER 40
Speaker : Ryo Wada (Toho University, Japan)
- P5-5 THE REAL-WORLD SETTINGS OF THE MANAGEMENT OF PATIENTS WITH ICD AT A HIGH-VOLUME CARDIOVASCULAR CENTER 40
Speaker : Naoshi Kawamura (Miyazaki Medical Association Hospital, Japan)
- P5-6 UPGRADING FROM PACEMAKER TO CARDIAC RESYNCHRONIZATION THERAPY REDUCES LEFT VENTRICULAR MASS 41
Speaker : Hiroki Yokomori (Ota Memorial Hospital, Japan)

Poster 6

デバイス治療奏功

15:00-16:10

Chair : Yoshiaki Inoue (Matsue Red Cross Hospital, Japan)

Chair : Yoshihiro Sobue (Fujita Health University Bantane Hospital, Japan)

- P6-1 A CASE OF A BLOCK HF PATIENT AFTER PATCH CLOSURE FOR VSP WHO BENEFITED FROM BIVENTRICULAR PACING FROM LEFT BUNDLE BRANCH AREA AND CORONARY SINUS 42
Speaker : Sara Okuda (Ebina General Hospital, Japan)
- P6-2 DIAGNOSIS AND MANAGEMENT OF INEFFECTIVE LEFT VENTRICULAR PACING: CASE SERIES 43
Speaker : Nobuhiko Ueda (National Cerebral and Cardiovascular Center, Japan)
- P6-3 SUCCESSFUL EXACTION OF LEADLESS PACEMAKER SIX MONTHS AFTER IMPLANTATION 43
Speaker : Yoshiro Tsuruta (Nagoya City University Graduate School of Medical, Japan)
- P6-4 A CASE OF IMPROVED CARDIAC FUNCTION BY CHANGING FROM RIGHT VENTRICULAR SEPTAL PACING TO LEFT BUNDLE BRANCH AREA PACING DUE TO DEEP LEAD ADVANCEMENT 44
Speaker : Yuta Sugizaki (Toho University Sakura Medical Center, Japan)
- P6-5 CRT UPGRADING IMPROVED CARDIAC FUNCTION ON PACING-INDUCED CARDIOMYOPATHY COMPLICATED BY MITRAL REGURGITATION : TWO CASE REPORTS 44
Speaker : Hiroshi Kojima (St. Mary's Hospital, Japan)
- P6-6 A CASE OF EFFICACY OF A-ATP FOR ATRIAL TACHYCARDIA OBSERVED AFTER CATHETER ABLATION CONFIRMED BY INTRACARDIAC ELECTROCARDIOGRAPHY 45
Speaker : Toshifumi Nakagomi (Toyota Kosei Hospital, Japan)

Poster 7

デバイス抜去/改善

15:00-16:10

Chair : Ryobun Yasuoka (Kindai University, Japan)

Chair : Hitoshi Minamiguchi (Osaka Keisatsu Hospital, Japan)

- P7-1 HYBRID LEAD EXTRACTION WITH MINIMALLY INVASIVE RIGHT THORACOTOMY IN A PATIENT WITH CARDIAC DEVICE RELATED INFECTIVE ENDOCARDITIS 46
Speaker : Yuma Hamanaka (Osaka Police Hospital, Japan)

P7-2	A CASE OF PACEMAKER POCKET INFECTION WITH RE-ACTIVATION OF A LEADLESS PACEMAKER AFTER 5 YEARS OF DEACTIVATION	47
	Speaker : Shiho Wakasa (Osaka Metropolitan University Graduate School of Medicine, Japan)	
P7-3	CASE REPORT: CONTRIBUTION OF PET/CT TO DIAGNOSE PACEMAKER POCKET INFECTION	47
	Speaker : Atsushi Murakami (Kobe University Hospital, Japan)	
P7-4	A CASE IN WHICH A LEAD THAT WAS UNUSABLE IMMEDIATELY AFTER IMPLANTATION BECAME USABLE 6 YEARS LATER	48
	Speaker : Kenji Enta (Hokuto Hospital, Japan)	
P7-5	A SUCCESSFUL CASE OF SUBCUTANEOUS IMPLANTABLE CARDIOVERTER DEFIBRILLATOR LEAD EXTRACTION SEVENTY-THREE MONTHS AFTER IMPLANTATION	48
	Speaker : Maki Ohira (Tokyo Saiseikai Central Hospital, Japan)	

ポスター会場 | ホテル日航金沢 4F 鶴の間

Poster 8

AF 1 10:00-11:10

Chair : Yoshio Yamaguchi (Fukui CardioVascular Center, Japan)
Chair : Junji Kaneyama (Saitama Sekishinkai Hospital, Japan)

P8-1	EFFECT OF VOLTAGE MAP-GUIDED LATERAL MITRAL ISTHMUS BLOCK AFTER VEIN OF MARSHALL ETHANOL INFUSION: A COMPARATIVE STUDY	49
	Speaker : Shingo Yoshimura (Gunma Prefectural Cardiovascular Center, Japan)	
P8-2	BASELINE CHARACTERISTICS AND CARDIAC MIBG SCINTIGRAPHY FINDINGS FOR IMPROVED LEFT VENTRICULAR SYSTOLIC FUNCTION AFTER ATRIAL FIBRILLATION CATHETER ABLATION IN PATIENTS WITH LEFT VENTRICULAR DYSFUNCTION	50
	Speaker : Kohki Nakamura (Gunma Prefectural Cardiovascular Center, Japan)	
P8-3	EXPERIENCE WITH THE NOVEL IVC BeeAT	50
	Speaker : Shigeki Hiramatsu (Fukuyama Cardiovascular Hospital, Japan)	
P8-4	USEFUL INDICATOR OF LEFT ATRIAL ROOF AND BOTTOM LINEAR ABLATION WITH TactiFlex ABLATION CATHETER	51
	Speaker : Monami Ando (Japanese Red Cross Aichi Medical Center Nagoya Daini Hospital, Japan)	
P8-5	THE ASSOCIATION BETWEEN LEFT ATRIAL SCAR AREA AT THE ANTERIOR WALL AND RECURRENCE PATTERN AFTER PULMONARY VEIN ISOLATION AND ROOF LINE IN PERSISTENT ATRIAL FIBRILLATION	51
	Speaker : Takafumi Kawaguchi (Hiroshima Prefectural Hospital, Japan)	
P8-6	THE ASSOCIATION BETWEEN TREATMENT FOR EARLY RECURRENCES OF ATRIAL FIBRILLATION AND ATRIAL FIBRILLATION RECURRENCE AFTER CATHETER ABLATION	52
	Speaker : Hirotaka Ooka (Kansai Rosai Hospital, Japan)	

Poster 9

AF 2 10:00-11:10

Chair : Minoru Sato (NHO Hokkaido Medical Center, Japan)
Chair : Yoshimori An (Osaka Saiseikai Noe Hospital, Japan)

P9-1	NOVEL ELECTROGRAM-GUIDED ABLATION DERIVED FROM AUTOMATICITY SITES THAT INDUCES ATRIAL FIBRILLATION	53
	Speaker : Shu Hirata (Nihon University, Japan)	
P9-2	RELATIONSHIP BETWEEN MAINTENANCE OF SINUS RHYTHM DURING ABLATION AND RECURRENCE RATE IN PERSISTENT ATRIAL FIBRILLATION	54
	Speaker : Hiroto Sugiyama (Showa University Fujigaoka Hospital, Japan)	
P9-3	THREE CASES OF CATHETER ABLATION FOR PAROXYSMAL ATRIAL FIBRILLATION WITH COMMON INFERIOR PULMONARY VEIN	54
	Speaker : Tatsuya Ota (Teikyo University Hospital, Japan)	

P9-4	VOLTAGE GUIDE AND NON-VOLTAGE GUIDE SVC ISOLATION IN PATIENTS WITH ATRIAL FIBRILLATION	55
	Speaker : Yui Koyanagi (Showa University Yokohama Northern Hospital, Japan)	
P9-5	PREDICTORS OF PHRENIC NERVE PALSY AFTER RADIOFREQUENCY ABLATION FOR PULMONARY VEIN ISOLATION	55
	Speaker : Shoma Kitano (Ota Memorial Hospital, Japan)	
P9-6	SHORT-TERM RESULTS OF ADDITIONAL CRYOBALLOON LEFT ATRIAL ROOF ABLATION FOR PERSISTENT ATRIAL FIBRILLATION	56
	Speaker : Ryohei Nomura (University of Fukui Hospital, Japan)	

Poster 10

ABL 関係 1

10:00-11:10

Chair : Satoshi Yamamoto (Itami City Hospital, Japan)

Chair : Soichiro Yamashita (Hyogo Prefectural Awaji Medical Center, Japan)

P10-1	EFFECT OF Extra-PV ABLATION ON THE STIFFNESS OF LEFT ATRIUM: A SIMULTANEOUS DIRECT PRESSURE MEASUREMENT OF ATRIUM AND VENTRICLE	57
	Speaker : Soichiro Yamashita (Hyogo Prefectural Awaji Medical Center, Japan)	
P10-2	CLINICAL IMPLICATION OF ATRIAL ELECTROGRAMS RECORDED ON ESOPHAGEAL ELECTRODES TO PREVENT ESOPHAGEAL TEMPERATURE RISES DURING PULMONARY VEIN ISOLATION	58
	Speaker : Hikaru Masuda (Kawaguchi Municipal Medical Center, Japan)	
P10-3	THE EARLY EXPERIENCE OF THE MID-BORE VENOUS VASCULAR CLOSURE SYSTEM (VASCADE MVP)	58
	Speaker : Masahiro Hisaoka (Yamaguchi University Graduate school of Medicine, Japan)	
P10-4	PROGNOSTIC STUDY OF CATHETER ABLATION CASES IN NAGANO PREFECTURE, SHINSHU-AB REGISTRY: REPORTED AT 3-YEAR MARK	59
	Speaker : Toshinori Komatsu (Shinshu University, Japan)	
P10-5	INTRODUCTION OF ORAL APPLIANCES IMPROVES TREATMENT RATES OF SLEEP APNEA SYNDROME IN PATIENTS WITH ATRIAL FIBRILLATION	59
	Speaker : Ryo Miyake (Saiseikai Fukuoka General Hospital, Japan)	
P10-6	ACUTE EFFICACY AND SAFETY OF CRYOBALLOON ABLATION USING EXPANDABLE CRYOBALLOON FOR PULMONARY VEIN ISOLATION IN ATRIAL FIBRILLATION PATIENTS	60
	Speaker : Tatsuto Kawaguchi (Shonan Kamakura General Hospital, Japan)	

Poster 11

Bradycardias 1

10:00-11:10

Chair : Shinya Kowase (Yokohama Rosai Hospital, Japan)

Chair : Nobuhiro Nishiyama (Toranomon Hospital, Japan)

P11-1	DISALIGNMENT OF THE RIGHT AND LEFT VENTRICLES ON SERIAL VENTRICULOGRAPHY IN LEADLESS PACEMAKER IMPLANTATION	61
	Speaker : Norihito Oyanagi (Niigata City General Hospital, Japan)	
P11-2	PACEMAKER IMPLANTATION IN THE HUGE RIGHT ATRIUM: EFFICACY OF LOCATOR PLUS	62
	Speaker : Kohei Sawasaki (Hamamatsu Medical Center, Japan)	
P11-3	ACUTUAL EVALUATION OF LEADLESS PACEMAKER IMPLANTATION SITES BY COMPUTED TOMOGRAPHY IMAGE	62
	Speaker : Kenta Yoshida (Kurashiki Central Hospital, Japan)	
P11-4	IMPACT OF RENAL DYSFUNCTION ON CARDIAC TAMPONADE AFTER CARDIAC IMPLANTABLE ELECTRONIC DEVICE IMPLANTATION	63
	Speaker : Yasuhiro Matsuda (Kansai Rosai Hospital, Japan)	
P11-5	COMPARISON OF MID-TERM PROGNOSIS IN TRANSCATHETER AORTIC VALVE IMPLANTATION BETWEEN NO PACEMAKER AND LEFT BUNDLE BRANCH AREA PACING	63
	Speaker : Yasukazu Takazawa (Seirei Mikatahara General Hospital, Japan)	

- P11-6 FEATURES OF VDD LEADLESS PACEMAKER IMPLANTATION CASES: CASE SELECTION AND POST-IMPLANTATION COURSE IN OUR HOSPITAL 64
 Speaker : Mitsuhiro Yahata (Shizuoka General Hospital, Japan)

Poster 12
 AF 3 15:00-16:10

Chair : Nobuhiro Takasugi (Gifu University Hospital, Japan)
 Chair : Hideharu Okamoto (Saiseikai Kumamoto Hospital, Japan)

- P12-1 WHICH IS BETTER: ANTERIOR OR LATERAL MITRAL LINE IN PATIENTS WITH PERI-MITRAL ATRIAL TACHYCARDIA? 65
 Speaker : Yutaka Take (The Sakakibara Heart Institute of Okayama, Japan/Gunma Prefectural Cardiovascular Center, Japan)
- P12-2 TIPS AND TRICKS TO PREVENT COMPLICATIONS FROM VASCULAR CLOSING DEVICES 66
 Speaker : Masashi Kanemoto (Saiseikai Yamaguchi General Hospital, Japan)
- P12-3 IS THE ANTERIOR LINE AS AN ADDITIONAL RADIOFREQUENCY EFFECTIVE FOR PERSISTENT ATRIAL FIBRILLATION ? 66
 Speaker : Itaru Momma (Kawasaki Saiwai Hospital, Japan)
- P12-4 EFFICACY AND SAFETY OF VERY HIGH POWER SHORT DURATION FOR SVCI 67
 Speaker : Naomichi Tanaka (Saitama Medical University International Medical Center, Japan)
- P12-5 DISTRIBUTION OF COMPLEX OR FRACTIONATED SIGNALS IN THE LEFT ATRIUM AND PULMONARY VEIN: A COMPARATIVE STUDY OF ELECTRO-ANATOMICAL MAPPING SYSTEMS 67
 Speaker : Kengo Korai (Kokura Memorial Hospital, Japan)

Poster 13
 AF 4 15:00-16:10

Chair : Naoki Amaya (Hikone Municipal Hospital, Japan)
 Chair : Naoya Kataoka (University of Toyama, Japan)

- P13-1 LONG-TERM OUTCOMES OF CATHETER ABLATION FOR PATIENTS WITH PERSISTENT AND LONG-STANDING ATRIAL FIBRILLATION WITH STRICT FOLLOW-UP BY 2-WEEK HOLTER MONITORING 68
 Speaker : Hirokazu Naganawa (Toyohashi Heart Center, Japan)
- P13-2 CATHETER STABILITY AND LOCAL IMPEDANCE CHANGE IN ATRIAL FIBRILLATION ABLATION 69
 Speaker : Tetsuya Watanabe (Osaka General Medical Center, Japan)
- P13-3 IMPACT OF SUPERIOR VENA CAVA ISOLATION DEMARCATION BASED ON ANATOMICAL INDICATORS 69
 Speaker : Takayuki Shimizu (Toho University Ohashi Medical Center, Japan)
- P13-4 OVERCOMING AGE BARRIERS: CATHETER ABLATION FOR ATRIAL FIBRILLATION IN THE ELDERLY 70
 Speaker : Junya Komatsu (Chikamori Hospital, Japan)
- P13-5 OUTCOME OF CATHETER ABLATION FOR ATRIAL FIBRILLATION IN PATIENTS WITH PACEMAKER 70
 Speaker : Yuhei Isonaga (Japanese Red Cross Saitama Hospital, Japan)

Poster 14
 Case ABL 3 15:00-16:10

Chair : Akinori Wakamiya (National Cerebral and Cardiovascular Center, Japan)
 Chair : Moe Mukai (University of Fukui Hospital)

- P14-1 POSSIBLE CONNECTION BETWEEN THE LEFT SUPERIOR PULMONARY VEIN AND PERSISTENT LEFT SUPERIOR VENA CAVA IN A PATIENT WITH PAROXYSMAL ATRIAL FIBRILLATION 71
 Speaker : Kentaro Yoshida (Ibaraki Prefectural Central Hospital, Japan)

P14-2	A CASE OF PERI-LEFT ATRIAL APPENDAGE REENTRANT ATRIAL TACHYCARDIA	72
	Speaker : Takashi Yamamoto (Yoshinogawa Medical Center, Japan)	
P14-3	A CASE OF TACHYCARDIA-INDUCED CARDIOMYOPATHY TREATED BY ECPELLA AND CATHETER ABLATION	72
	Speaker : Kentaro Adachi (Japanese Red Cross Aichi Medical Center Nagoya Daiichi Hospital, Japan)	
P14-4	ATRIAL TACHYCARDIA AND ATRIAL FIBRILLATION FROM THREE PULMONARY VEINS AFTER HAVING PASSED FOR A LONG TIME	73
	Speaker : Hiroshi Shimizu (Saiseikai Niigata Hospital, Japan)	
P14-5	FOCAL ATRIAL TACHYCARDIA WITH URGENT CATHETER ABLATION	73
	Speaker : Satoru Nishio (Tokyo General Hospital, Japan)	
P14-6	A CASE OF SUCCESSFUL TERMINATION OF Bi-Atrial AT BY ABLATION OF CS	74
	Speaker : Keiji Yamaoka (Munakata Suikokai General Hospital, Japan)	
P14-7	CHEMICAL ABLATION OF VEIN OF MARSHALL IS EFFECTIVE FOR ATRIAL TACHYCARDIA DEPEND ON MITRAL ISTHMUS AFTER MITRAL VALVE REPAIR AND MAZE: A CASE REPORT	74
	Speaker : Mitsuhiro Yahata (Shizuoka General Hospital, Japan)	

Poster 15

AF Clinical Background 1

15:00-16:10

Chair : Takashi Kuniyama (The Jikei University School of Medicine, Japan)
 Chair : Takahiko Nishiyama (Keio University, Japan)

P15-1	RELATIONSHIP BETWEEN ATRIAL FIBRILLATION AND SARCOPENIA IN PARTICIPANTS OF MEDICAL CHECK-UP	75
	Speaker : Mizuho Miyauchi (Yotsuya Medical Cube, Japan)	
P15-2	EVALUATION OF POLYUNSATURATED FATTY ACIDS FOR ATRIAL FIBRILLATION RECURRENCE AFTER CATHETER ABLATION	76
	Speaker : Ryosuke Takeuchi (Hamamatsu Red Cross Hospital, Japan)	
P15-3	SEE THE PATIENT, NOT ONLY ATRIAL FIBRILLATION, TO IMPROVE THE OUTCOME	76
	Speaker : Yukoh Hirai (Kure Kyosai Hospital, Japan)	

7月19日 (金)

第2日目

ポスター会場 | ANA クラウンプラザホテル金沢 3F 瑞雲

Poster 16

AF balloon 2

10:00-11:10

Chair : Taishi Kuwahara (Tokyo Heart Rhythm Clinic, Japan)
Chair : Takamitsu Takagi (Japanese Red Cross Saitama Hospital, Japan)

- P16-1 COMPARISON OF MID-TERM OUTCOME BETWEEN PULMONARY VEIN ISOLATION USING RADIOFREQUENCY CATHETER AND 2ND GENERATION CRYOBALLOON IN ATRIAL FIBRILLATION PATIENTS WITH A COMMON PULMONARY VEIN 77
Speaker : Takashi Komatsu (Iwate Health Service Association, Japan)
- P16-2 CRYOBALLOON ABLATION AS THE FIRST LINE PULMONARY VEIN ISOLATION PROCEDURE FOR ATRIAL FIBRILLATION IS EFFECTIVE REGARDLESS OF PULMONARY VEIN DIAMETER 78
Speaker : Noboru Oda (Hiroshima City North Medical Center Asa Citizens Hospital, Japan)
- P16-3 THE EFFECTIVENESS OF CARTOUNIVU MODULE TO PREDICT THE ACUTE ABLATION AREA OF CRYOBALLOON ABLATION 78
Speaker : Yosuke Mizuno (Sendai Kousei Hospital, Japan)
- P16-4 EFFICACY OF PULMONARY VEIN ISOLATION AND ROOF ABLATION USING CRYOBALLOON IN PERSISTENT ATRIAL FIBRILLATION, COMPARED WITH RADIOFREQUENCY ABLATION 79
Speaker : Takahiro Furuya (Showa University Koto Toyosu Hospital, Japan)
- P16-5 CRYOBALLOON ABLATION IS EFFECTIVE EVEN IN CASES WITH COMMON PULMONARY VEIN 79
Speaker : Aya Yamane (Hiroshima City North Medical Center Asa Citizens Hospital, Japan)
- P16-6 DIFFERENCES IN SITES OF RECURRENCE AFTER CRYOBALLOON ABLATION AND RADIOFREQUENCY CATHETER ABLATION FOR ATRIAL FIBRILLATION 80
Speaker : Mariko Tanaka (JCHO Kobe Central Hospital, Japan)

Poster 17

AF Clinical Background 2

10:00-11:10

Chair : Takeshi Sasaki (NHO Disaster Medical Center, Japan)
Chair : Yasuhiro Sasaki (Kobe City Medical Center General Hospital, Japan)

- P17-1 演題は取り下げられました 81
- P17-2 DIFFERENTIAL ENTROPY ANALYSIS OF SHORT-TERM RRI_s FOR RAPID DIAGNOSIS OF PAROXYSMAL ATRIAL FIBRILLATION 82
Speaker : Taishi Matsui (UNIONTOOL CO, Japan)
- P17-3 GROWTH DIFFERENTIATION FACTOR 15 IS ASSOCIATED WITH CARDIOVASCULAR AND BLEEDING EVENT IN JAPANESE PATIENTS WITH ATRIAL FIBRILLATION 82
Speaker : Yuta Kobayashi (Yamagata University, Japan)

Poster 18

AT/PSVT 1

10:00-11:10

Chair : Takeshi Tobiume (Kawashima Hospital, Japan)
Chair : Akio Chikata (Toyama Prefectural Central Hospital, Japan)

- P18-1 USEFULNESS OF INTRACARDIAC ECHOCARDIOGRAPHY-GUIDED MAPPING OF THE TRICUSPID ANNULUS IN ABLATING THE RIGHT FREE WALL ACCESSORY PATHWAY 83
Speaker : Kodai Negishi (Saiseikai Kumamoto Hospital, Japan)
- P18-2 HIGH-DENSITY MAPPING OF KOCH'S TRIANGLE DURING SINUS RHYTHM IN PATIENT WITH AND WITHOUT ATRIOVENTRICULAR NODAL REENTRANT TACHYCARDIA 84
Speaker : Tadashi Wada (NHO Iwakuni Clinical Center, Japan)

P18-3	EMPIRIC SLOW PATHWAY ABLATION IN NON-INDUCIBLE SUPRAVENTRICULAR TACHYCARDIA IS EFFECTIVE AND SAFE	84
	Speaker : Masaki Tokutome (Japanese Red Cross Fukuoka Hospital, Japan)	
P18-4	IMPACT OF ANATOMICAL STRUCTURES ALONG THE CAVO-TRICUSPID ISTHMUS ON TEMPERATURE REGULATION OF A DIAMOND TIP CATHETER: INSIGHTS FROM INTRACARDIAC ECHOCARDIOGRAPHY	85
	Speaker : Yuya Tanaka (University of Yamanashi, Japan)	
P18-5	UTILITY OF OCTARAY IN ATRIAL FLUTTER ABLATION	85
	Speaker : Kosuke Hirose (JCHO Osaka Hospital, Japan)	
P18-6	THE INVESTIGATION OF THE RECURRENCE OF BLOCKLINE AFTER CAVOTRICUSPID ISTHMUS ABLATION USING A 3D MAPPING SYSTEM	86
	Speaker : Tomoyuki Inoue (Kyoto University Hospital, Japan)	
P18-7	THE EFFICACY OF INTRACARDIAC ECHOCARDIOGRAPHY-GUIDED THREE-DIMENSIONAL CAVOTRICUSPID ISTHMUS ABLATION	86
	Speaker : Tatsuya Shigematsu (The Sakakibara Heart Institute of Okayama, Japan)	

Poster 19

Case ABL 4	10:00-11:10
------------	-------------

Chair : Koji Tanaka (Sakurabashi Watanabe Advanced Healthcare Hospital, Japan)
 Chair : Akira Ueno (Higashitotsuka Memorial Hospital, Japan)

P19-1	SUCCESSFUL CATHETER ABLATION OF VENTRICULAR TACHYCARDIA BEFORE transcatheter PULMONARY VALVE IMPLANTATION IN THE PATIENT WITH REPAIRED DOUBLE OUTLET RIGHT VENTRICLE	87
	Speaker : Yuto Iioka (University of Tsukuba, Japan)	
P19-2	演題は取り下げられました	88
P19-3	UTILITY OF LOCAL CONDUCTION VECTOR AND SIMULTANEOUS INTRACARDIAC ULTRASOUND IMAGING IN ABLATION OF PREMATURE VENTRICULAR CONTRACTIONS ORIGINATING FROM POSTERIOR PAPILLARY MUSCLE	88
	Speaker : Shu Yamashita (NHO Disaster Medical Center, Japan)	
P19-4	SIGNIFICANCE OF PURKINJE-MUSCLE JUNCTION CONDUCTION IN PURKINJE-RELATED VENTRICULAR FIBRILLATION	89
	Speaker : Keisuke Uchida (University of Toyama, Japan)	
P19-5	A SUCCESSFUL CASE OF SURGICAL CRYOTHERMAL ABLATION OF VENTRICULAR TACHYCARDIA IN A MODIFIER A PATIENT UNDERGOING LEFT VENTRICULAR ASSIST DEVICE IMPLANTATION FOR BRIDGE TO TRANSPLANTATION	89
	Speaker : Tsukasa Naganuma (Saitama Medical University International Medical Center, Japan)	
P19-6	REPEATED RECURRENCE VENTRICULAR ARRHYTHMIAS(VAs) ORIGINATING FROM NEAR HIS-BUNDLE REGION: THE MORE WE PERFORMED CATHETER ABLATION FOR THE VAs, THE CLOSER THE VAs WERE TO HIS-BUNDLE REGION	90
	Speaker : Satoru Nishio (Tokyo General Hospital, Japan)	

Poster 20

Case ABL 5	10:00-11:10
------------	-------------

Chair : Ken Terata (Akita University Graduate School of Medicine, Japan)
 Chair : Takashi Kanda (Osaka Keisatsu Hospital, Japan)

P20-1	P1 MAPPING WITH GRID CATHETER FOR IDIOPATHIC LEFT VENTRICULAR TACHYCARDIA (ILVT) WAS EFFECTIVE : A CASE REPORT	91
	Speaker : Takeshi Hayashi (Kasukabe Central General Hospital, Japan)	
P20-2	A CASE OF REENTRANT ATRIAL TACHYCARDIA CIRCLING BETWEEN THE SCAR WITHIN THE SVC AND THE FUNCTIONAL BLOCK LINE OF THE SVC-RA JUNCTION	92
	Speaker : Takayuki Iida (Ebina General Hospital, Japan)	

P20-3	SUCCESSFUL CATHETER ABLATION OF PERSISTENT ATRIAL TACHYCARDIA ARISING FROM THE RIGHT ATRIAL APPENDAGE	92
	Speaker : Kohei Iwasa (Sakurabashi Watanabe Hospital, Japan)	
P20-4	BIATRIAL TACHYCARDIA VIA POSTEROSUPERIOR BACHMANN BUNDLE	93
	Speaker : Miho Sugitani (Hyogo Medical University, Japan)	
P20-5	A CASE OF GOOD OUTCOME AFTER MEDICAL TREATMENT FOR RESIDUAL SHUNT AND AF RECURRENCE AFTER ASD CLOSURE AND MAZE SURGERY	93
	Speaker : Kei Enokizono (Kagoshima University Hospital, Japan)	

Poster 21

AF 5	15:00-16:10
------	-------------

Chair : Hiroshi Furusho (Ishikawa Prefectural Central Hospital, Japan)
 Chair : Tadanobu Irie (Saitama Sekishinkai Hospital, Japan)

P21-1	CLINICAL COURSE AND ITS CHARACTERISTICS AFTER CATHETER ABLATION FOR ATRIAL FIBRILLATION PATIENTS WITH SICK SINUS SYNDROME	94
	Speaker : Naoaki Onishi (Osaka Red Cross Hospital, Japan/Otsu Red Cross Hospital, Japan)	
P21-2	演題は取り下げられました	95
P21-3	IMPACT OF A STANDARDIZED APPROACH OF ABLATION-INDEX-GUIDED CATHETER ABLATION ON THE PROGRESSION OF PERSISTENT ATRIAL FIBRILLATION	95
	Speaker : Atsuhiko Yagishita (Tokai University, Japan)	
P21-4	THE LEFT ATRIUM CALCIFICATION AFTER RADIOFREQUENCY CATHETER ABLATION FOR ATRIAL FIBRILLATION IN CARDIAC AMYLOIDOSIS	96
	Speaker : Takuya Nishimura (Kochi Medical School Hospital, Japan)	
P21-5	IMPACT OF AGGRESSIVE STRATEGY FOR EARLY RECURRENCE AFTER CATHETER ABLATION OF ATRIAL FIBRILLATION	96
	Speaker : Kaishi Otsuka (Nagasaki University Hospital, Japan)	

Poster 22

AF 6	15:00-16:10
------	-------------

Chair : Eitaro Fujii (Nabari City Hospital, Japan)
 Chair : Keiichi Ashikaga (Miyazaki Medical Association Hospital, Japan)

P22-1	EVALUATION OF THE FIRST-PASS ISOLATION IN INITIAL PULMONARY VEIN ISOLATION USING TactiFlex CATHETER	97
	Speaker : Kazuhisa Matsumoto (Saitama Medical University International Medical Center, Japan)	
P22-2	FREQUENCY OF PUNCTURE SITE BLEEDING AFTER CATHETER ABLATION FOR ATRIAL FIBRILLATION USING VASCADE VENOUS VASCULAR CLOSURE SYSTEM	98
	Speaker : Naoharu Yagi (The Cardiovascular Institute, Japan)	
P22-3	IMPACT OF QDOT CATHETER ON INTRAPROCEDURAL FLUID BALANCE DURING ATRIAL FIBRILLATION ABLATION	98
	Speaker : Naoko Miyazaki (Sakurabashi Watanabe Hospital, Japan)	
P22-4	EFFICACY OF PACE-CAPTURE-GUIDED ABLATION COMBINED WITH THRESHOLD-ADJUSTED VOLTAGE MAP IN ELECTRICAL POSTERIOR BOX ISOLATION AFTER PULMONARY VEIN ISOLATION FOR ATRIAL FIBRILLATION	99
	Speaker : Hiroshi Kuroyanagi (Tohoku Medical and Pharmaceutical University, Japan)	

Poster 23

Clinical Studies 2	15:00-16:10
--------------------	-------------

Chair : Atsuyuki Watanabe (NHO Okayama Medical Center, Japan)
 Chair : Kenji Yodogawa (Nippon Medical School, Japan)

P23-1	EFFICACY AND SAFETY OF DRUG ADMINISTRATION IN BRUGADA SYNDROME	100
	Speaker : Yukimi Uotani (Hiroshima University Graduate School of Biomedical and Health Sciences, Japan)	

P23-2	ASSOCIATION BETWEEN LONG-TERM ADVERSE EVENTS AND MORTALITY IN PATIENTS UNDERGOING CATHETER ABLATION FOR ATRIAL FIBRILLATION	101
	Speaker : Koki Yamaoka (Keio University, Japan)	
P23-3	AN EXPLORATORY STUDY OF THE INFERIOR VENA CAVA FLEXION BETWEEN THE LIVER-DIAPHRAGM LEVEL AND THE RIGHT ATRIAL JUNCTION	101
	Speaker : Hideya Suehiro (Kobe Red Cross Hospital, Japan)	
P23-4	LASER BALLOON ABLATION OF ATRIAL FIBRILLATION IN PATIENTS WITH AN ATYPICAL RIGHT PULMONARY VEIN ANATOMY	102
	Speaker : Gen Matsuura (Sagamihara Kyodo Hospital, Japan/Kitasato University, Japan)	
P23-5	PREDICTORS OF RESIDUAL CONDUCTION GAP AFTER A VERY HIGH POWER-SHORT DURATION ABLATION FOR PULMONARY VEIN ISOLATION	102
	Speaker : Kazumasa Suga (JCHO Chukyo Hospital, Japan)	
P23-6	PREOPERATIVE PLAIN CT FOR PAROXYSMAL ATRIAL FIBRILLATION ABLATION CAN BE AN ALTERNATIVE TO CONTRAST-ENHANCED CT	103
	Speaker : Toshihiko Tsuji (University of Fukui, Japan)	
P23-7	ROLE OF SLEEP-DISORDERED BREATHING AND EPICARDIAL CONNECTIONS IN THE RECURRENCE OF ATRIAL FIBRILLATION	103
	Speaker : Eiji Nyuta (Steel Memorial Yawata Hospital, Japan)	

ポスター会場 | ホテル日航金沢 4F 鶴の間

Poster 24
AF 7 10:00-11:10

Chair : Kenichiro Otomo (Ome Medical Center, Japan)
Chair : Akira Fukui (Oita University, Japan)

P24-1	RELATIONSHIP BETWEEN TRANSSEPTAL PUNCTURE SITE AND FIRST PASS PULMONARY VEIN ISOLATION PROPORTION DURING RADIOFREQUENCY CATHETER ABLATION FOR ATRIAL FIBRILLATION	104
	Speaker : Kohei Matsunaga (Kumamoto University Hospital, Japan)	
P24-2	INCREASE IN HEART RATE AFTER SUPERIOR VENA CAVA ISOLATION IN PATIENTS WITH ATRIAL FIBRILLATION	105
	Speaker : Satoko Shiomi (The Jikei University School of Medicine, Japan)	
P24-3	PREMATURE VENTRICULAR CONTRACTIONS POST CATHETER ATRIAL FIBRILLATION ABLATION	105
	Speaker : Toshiki Michishita (Japanese Red Cross Saitama Hospital, Japan)	
P24-4	EFFICACY OF COLCHICINE IN PREVENTING RECURRENCE AFTER CATHETER ABLATION FOR ATRIAL FIBRILLATION	106
	Speaker : Yusuke Sonoda (Osaka Saiseikai Nakatsu Hospital, Japan)	
P24-5	STEP BY STEP MODIFICATION OF ATRIAL FIBRILLATION ABLATION PROCEDURE FOR THE DURABLE PULMONARY VEIN ISOLATION USING ABLATION INDEX	106
	Speaker : Takeshi Ueyama (Yamaguchi Prefectural Grand Medical Center, Japan)	

Poster 25
AF 8 10:00-11:10

Chair : Yoshinao Sugai (Fukushima Medical University Aizu Medical Center Hospital, Japan)
Chair : Hitomi Yuzawa (Mitsui Memorial Hospital, Japan)

P25-1	THE VIZIGO SHEATH REDUCES RADIATION EXPOSURE TIME IN PULMONARY VEIN ISOLATION BY BEGINNER OPERATORS	107
	Speaker : Ayumi Omura (Showa University Fujigaoka Hospital, Japan)	
P25-2	EVALUATING THE SAFETY AND EFFICACY OF VERY HIGH-POWER AND SHORT-DURATION ABLATION FOR PULMONARY VEIN ISOLATION IN ATRIAL FIBRILLATION: A 12-MONTH CLINICAL PERSPECTIVE	108
	Speaker : Yuichi Toyama (Hirosaki University Graduate School of Medicine, Japan)	

P25-3	EFFICACY AND SAFETY OF PULMONARY VEIN ISOLATION USING TactiFlex CATHETER	108
	Speaker : Akifumi Tanaka (Shin-yurigaoka General Hospital, Japan)	
P25-4	THE ACHIEVEMENT RATE OF SIMULTANEOUS ISOLATION IN BOX ISOLATION	109
	Speaker : Tomohiro Sahashi (Toyota Kosei Hospital, Japan)	
P25-5	IMPACT OF EMPILICAL SUPERIOR VENA CAVA ISOLATION ON INITIAL ABLATION FOR ATRIAL FIBRIL- LATION	109
	Speaker : Yuta Tsurusaki (Kumamoto University Hospital, Japan)	
P25-6	THE EFFICIENCY OF LASER BALLOON ABLATION FOR ATRIAL FIBRILLATION WITH LEFT COMMON PULMONARY VEIN	110
	Speaker : Yuki Arakawa (Sagamihara Kyodo Hospital, Japan)	

Poster 26

デバイス合併症

10:00-11:10

Chair : Akira Shimane (Hyogo Prefectural Harima-Himeji General Medical Center, Japan)

Chair : Hiroyuki Ito (Makita General Hospital, Japan)

P26-1	A CASE OF LEAD INSULATION DEFECT AFTER THE IMPLANTABLE CARDIOVERTER DEFIBRILLATOR GENERATOR EXCHANGE	111
	Speaker : Keiichiro Kishikawa (Kyushu University Hospital, Japan)	
P26-2	CARDIAC IMPLANTABLE CARDIAC DEVICES SUPPORT FOR RADIATION THERAPY IN OUR HOSPITAL	112
	Speaker : Eiji Fukuhara (Hyogo Medical University, Japan)	
P26-3	A RARE CASE:PERFORATION OF THE LEFT VENTRICLE CAUSED BY A PACEMAKER LEAD IN THE RIGHT VENTRICLE	112
	Speaker : Tomoaki Nagao (Hamamatsu Medical Center, Japan)	
P26-4	NON-SUSTAINED VENTRICULAR TACHYCARDIA PROVOKED BY THE LEADLESS PACEMAKER: A CASE REPORT	113
	Speaker : Shigeki Kusa (Tsuchiura Kyodo General Hospital, Japan)	
P26-5	A ONE-STEP TREATMENT FOR SYMPTOMATIC LEAD-RELATED VENOUS OBSTRUCTION USING PERCU- TANEOUS LEAD EXTRACTION, VENOUS STENTING, AND NEW DEVICE IMPLANTATION	113
	Speaker : Tsuyoshi Isawa (Sendai Kousei Hospital, Japan)	
P26-6	A CASE OF SUCCESSFUL SALVAGE DESPITE RIGHT VENTRICUAR PERFORATION DURING AVEIR LEAD- LESS PACEMAKER IMPLANTATION	114
	Speaker : Masanori Matsuo (Osaka City General Hospital, Japan)	
P26-7	A CASE WHERE R WAVE SENSING WAS IMPROVED BY LEAD REPOSITIONING IN A PATIENT WHO EXPERIENCED AN INAPPROPRIATE SICD SHOCK CAUSED BY T WAVE OVERSENSING	114
	Speaker : Keita Masuda (St. Luke's International Hospital, Japan)	

Poster 27

Bradycardias 2

10:00-11:10

Chair : Toyonobu Tsuda (Kanazawa University Hospital, Japan)

Chair : Hisanori Kanazawa (Kumamoto University Hospital, Japan)

P27-1	LBBAP IN PATIENT WITH PRESERVED LEFT VENTRICULAR SYSTOLIC FUNCTION	115
	Speaker : Motoki Kubo (Okayama Heart Clinic, Japan)	
P27-2	THE EARLY PHASE DIFFERENCES OF PARAMETERS AND ESTIMATED ENERGY DEMAND OF RIGHT VENTRICULAR LEAD LOCATED ON SEPTUM WITH EACH MANUFACTURES' CATHETER DELIVERY SYS- TEM	116
	Speaker : Shunichi Asano (Yokohama Rosai Hospital, Japan)	
P27-3	A CASE OF LEFT VENTRICULAR DYSSYNCHRONY IMPROVED BY LEFT BUNGLER BRANCH AREA PACING	116
	Speaker : Yumi Hirota (Nabari City Hospital, Japan)	
P27-4	CLINICAL EFFICACY OF DOUBLE PERCLOSE PROGLIDE TECHNIQUE PLUS BURIED DERMAL SUTURE FOR HEMOSTASIS AFTER LEADLESS PACEMAKER IMPLANTATION	117
	Speaker : Hironobu Sumiyoshi (Kurashiki Central Hospital, Japan)	

- P27-5 LOT-CRT FOR ATRIOVENTRICULAR BLOCK WITH AN EF BELOW 50% 117
 Speaker : Junji Morita (Sapporo Cardiovascular Clinic, Japan)

Poster 28

- AF balloon 3 15:00-16:10

Chair : Hiroshi Sohara (Shonan Tobu General Hospital, Japan)
 Chair : Manabu Fujimoto (Kouseiren Takaoka Hospital, Japan)

- P28-1 ADDITIONAL EFFECT ON PULMONARY VEIN ISOLATION AREA USING NOVEL SIZE ADJUSTABLE CRYOBALLOON 118
 Speaker : Akio Chikata (Toyama Prefectural Central Hospital, Japan)
- P28-2 ADJUNCTIVE RADIOFREQUENCY ABLATION FOR DRIVERS OF ATRIAL FIBRILLATION AFTER CRYOABLATION IN PATIENTS WITH PERSISTENT ATRIAL FIBRILLATION 119
 Speaker : Akihiro Yoshida (Kita-Harima Medical Center, Japan)
- P28-3 EFFECTS OF LEFT ATRIAL ROOF LINEAR ABLATION USING TWO TYPES OF CRYOBALLOONS 119
 Speaker : Takahiro Tsunoda (Yokohama Minami Kyosai Hospital, Japan)
- P28-4 WHICH IS THE BETTER FIRST PASS ISOLATION CRYOBALLOON SIZE, 28mm OR 31mm? 120
 Speaker : Yasuhiro Ogura (Nagoya Daini Red Cross Hospital, Japan)
- P28-5 EXAMINATION OF THE RESULTS OF EXPANDABLE CRYOBALLOON ABLATION FOR ATRIAL FIBRILLATION 120
 Speaker : Fumiya Yoneda (Kyoto University Hospital, Japan)

Poster 29

- Case ABL 6 15:00-16:10

Chair : Masatoshi Miyamura (Osaka Medical and Pharmaceutical University, Japan)
 Chair : Kenzaburo Nakajima (National Cerebral and Cardiovascular Center, Japan)

- P29-1 THE RARE CASE REPORT OF CORONARY ARTERY SPASMS DIAGNOSED AFTER ADMINISTERING ISO-PROTERENOL DURING PULMONARY VEIN ISOLATION 121
 Speaker : Yasutaka Oguchi (Shinshu University Hospital, Japan)
- P29-2 A CASE OF NASAL BLEEDING AT THE END OF CATHETER ABLATION FOR ATRIAL FIBRILLATION THAT REQUIRED OTOLARYNGOLOGICAL HEMOSTATIC TREATMENT 122
 Speaker : Yoshiaki Inoue (Matsue Red Cross Hospital, Japan)
- P29-3 A CASE COMPLICATED BY PERICARDITIS DUE TO CRYOABLATION WITH SLOW PATHWAY ABLATION FOR AVNRT 122
 Speaker : Tomoyuki Shiozawa (Juntendo University Shizuoka Hospital, Japan)
- P29-4 A CASE OF RIGHT CORONARY ARTERY SEVERE SPASMS IMMEDIATELY AFTER ATRIAL FIBRILLATION ABLATION 123
 Speaker : Sou Takenaka (IMS Katsushika Heart Center, Japan)
- P29-5 A CASE OF STIFF LEFT ATRIAL SYNDROME FOLLOWING CRYOBALLOON ABLATION FOR ATRIAL FIBRILLATION 123
 Speaker : Daisuke Yakabe (NHO Kyushu Medical Center, Japan)

Poster 30

- Case ABL 7 15:00-16:10

Chair : Yasuo Kurita (Graduate School of International University of Health and Welfare, Japan / Cardiovascular Center of International University of Health and Welfare Mita Hospital, Japan)
 Chair : Yuko Matsui (Tokyo Women's Medical University, Japan)

- P30-1 DETAILED PACE MAPPING CONTRIBUTED TO THE IDENTIFICATION OF VENTRICULAR TACHYCARDIA CIRCUIT THE VENTRICULAR SEPTUM: A CASE REPORT 124
 Speaker : Sho Ogiso (Kitasato University, Japan)

P30-2	VENTRICULAR TACHYCARDIA ABLATION FOR ISCHEMIC CARDIOMYOPATHY GUIDED BY LATE POTENTIALS: A CASE REPORT	125
	Speaker : Ryota Ishida (Ome Medical Center, Japan)	
P30-3	A CASE OF VT OF CARDIAC SARCOIDOSIS WITH INTRAMURAL CRITICAL CHANNEL FROM ENDOCARDIUM TO EPICARDIUM, WHICH COULD BE TREATED BY ENDOCARDIAL ABLATION	125
	Speaker : Shintaro Taguchi (Toho University Ohashi Medical Center, Japan)	
P30-4	A CASE OF SUCCESSFUL ENDOCARDIAL ABLATION FOR PERIMITRAL VENTRICULAR TACHYCARDIA WITH EPICARDIAL REENTRY CIRCUIT	126
	Speaker : Masaya Watanabe (Hokko Memorial Hospital, Japan)	
P30-5	SUCCESSFUL CATHETER ABLATION OF TWO DIFFERENT PREMATURE VENTRICULAR COMPLEXES TRIGGERING BIDIRECTIONAL VENTRICULAR TACHYCARDIA	126
	Speaker : Takaaki Saito (/Fukuyama City Hospital, Japan)	

Poster 31

Clinical Studies 3

15:00-16:10

Chair : Takashi Tokano (Juntendo University Urayasu Hospital, Japan)

Chair : Ippei Tsuboi (Saiseikai Yokohama City Eastern Hospital, Japan)

P31-1	TRICUSPID REGURGITATION AFTER LEADLESS PACEMAKER IMPLANTATION IN CLINICAL PRACTICE	127
	Speaker : Takashi Hyogo (Osaka Police Hospital, Japan)	
P31-2	演題は取り下げられました	128
P31-3	CLINICAL OUTCOMES IN PATIENTS WITH BACTEREMIA AND CONCOMITANT PROSTHETIC VALVE AND CARDIAC IMPLANTABLE ELECTRONIC DEVICES	128
	Speaker : Yuto Iioka (University of Tsukuba, Japan)	
P31-4	CLINICAL OUTCOME OF ATRIOVENTRICULAR BLOCK (AVB) AFTER TRANSCATHETER AORTIC VALVE REPLACEMENT (TAVR): ANALYSIS FROM THE PACING BURDEN OF PERMANENT PACEMAKERS	129
	Speaker : Motohide Tanaka (Kindai University Hospital, Japan)	
P31-5	IS IMPLANTATION OF ICD NECESSARY FOR REFRACTORY VT/VF CASES RESUSCITATED BY ECPR FOLLOWING OUT-OF-HOSPITAL CARDIAC ARREST DUE TO ACS?	129
	Speaker : Masaki Fujiwara (Japanese Red Cross Kobe Hospital, Japan)	
P31-6	PREDICTOR OF ADDITIONAL ROTATIONAL MECHANICAL SHEATH DURING TRANSVENOUS LEAD EXTRACTION	130
	Speaker : Takatsugu Kajiyama (Chiba University Graduate School of Medicine, Japan)	

7月20日 (土)

第3日目

ポスター会場 | ANA クラウンプラザホテル金沢 3F 瑞雲

Poster 32

AF 9

9:00-10:10

Chair : Takashi Kaneshiro (Fukushima Medical University, Japan)
Chair : 未定 (未定)

- P32-1 LONG-TERM RECURRENCE MECHANISMS OF ATRIAL FIBRILLATION INFERRED FROM ELECTROPHYSIOLOGICAL FINDINGS AT SECOND ABLATION AND CLINICAL COURSE OF THE CASES 131
Speaker : Hokuto Yamagishi (Ise Red Cross Hospital, Japan)
- P32-2 COMPARISON OF HEMOSTASIS AND TIME TO AMBULATION BETWEEN CRYOABLATION AND RADIOFREQUENCY ABLATION WITH NOVEL VENOUS CLOSURE SYSTEM (VASCADE MVP) 132
Speaker : Jun Mashiki (Kameda Medical Center, Japan)
- P32-3 STUDY OF SCAR AREAS FOR MARSHALL VEIN ETHANOL INJECTION THERAPY 132
Speaker : Miwa Miyoshi (JCHO Osaka Hospital, Japan)
- P32-4 RADIOFREQUENCY CATHETER ABLATION FOR LONG STANDING PERSISTENT ATRIAL FIBRILLATION IN OVER 360 PATIENTS 133
Speaker : Takamitsu Takagi (Japanese Red Cross Saitama Hospital, Japan)
- P32-5 UTILITY OF NT-proBNP IN IDENTIFYING UNRECOGNIZED QOL DECLINE IN ASYMPTOMATIC ATRIAL FIBRILLATION PATIENTS 133
Speaker : Tatsuhisa Ozaki (NHO Osaka National Hospital, Japan)

Poster 33

AF 10

9:00-10:10

Chair : Kohki Nakamura (Gunma Prefectural Cardiovascular Center, Japan)
Chair : Daisuke Yoshimoto (Toyohashi Heart Center, Japan)

- P33-1 EVALUATION OF LEFT ATRIAL VOLUME MEASUREMENT WITH NON-ENHANCED COMPUTED TOMOGRAPHY USING DEEP LEARNING ALGORITHM IN PATIENTS WITH ATRIAL FIBRILLATION 134
Speaker : Keisuke Miyajima (Seirei Mikatahara General Hospital, Japan)
- P33-2 THE CHARACTERISTICS OF FRACTIONATION MAPPING IN RECURRENT ATRIAL FIBRILLATION AFTER PULMONARY VEIN ISOLATION 135
Speaker : Yosuke Hayashi (Sakakibara Heart Institute, Japan)
- P33-3 TWO CASES OF SUCCESSFUL ExTRa MAPPING-GUIDED ABLATION THERAPY FOR LONG-TERM PERSISTENT ATRIAL FIBRILLATION 135
Speaker : Kanade Yoshii (Hiroshima City Hospital, Japan)
- P33-4 3D ANATOMICAL MAPPING USING INTRACARDIAC ECHOCARDIOGRAPHY MAY REPLACE ANATOMICAL INFORMATION OBTAINED FROM CONTRAST-ENHANCED COMPUTED TOMOGRAPHY 136
Speaker : Yoshikuni Obata (Kushiro Sanjikai Hospital, Japan)
- P33-5 EFFICACY AND SAFETY OF A PUNCTURE SITE HEMOSTATIC DEVICE FOR CATHETER ABLATION 136
Speaker : Yasuhiro Sasaki (Kobe City Medical Center General Hospital, Japan)

Poster 34

Case ABL 8

9:00-10:10

Chair : Kazuyuki Tanoue (Yonemori Hospital, Japan)
Chair : Ryudo Fujiwara (Osaka Saiseikai Nakatsu Hospital, Japan)

- P34-1 SUCCESSFUL CREATION OF THE ANTERIOR MITRAL LINE AND ITS CONFIRMATIVE PACING METHOD CONSIDERING THE INTERATRIAL CONDUCTION VIA BACHMANN'S BUNDLE: A CASE WITH ATRIAL TACHYCARDIA 137
Speaker : Yoshimori An (Osaka Saiseikai Noe Hospital, Japan)

P34-2	A CASE OF LOCALIZED REENTRANT ATRIAL TACHYCARDIA WITH CLOCKWISE AND COUNTERCLOCKWISE ROTATION IN THE SAME CIRCUIT WITHOUT A HISTORY OF CATHETER ABLATION	138
	Speaker : Hiroshi Mannoji (Saiseikai Fukuoka General Hospital, Japan)	
P34-3	A CASE OF ATRIAL TACHYCARDIA MAPPED USING BOTH PENTARAY AND OCTARAY	138
	Speaker : Kento Mori (Nagoya City University, Japan)	
P34-4	USEFULNESS OF ATRIAL CONDUCTION PATTERNS DURING PULMONARY VEIN PACING IN RECURRENT CASES IN THE SEARCH FOR THE LOCALIZATION OF THE GAP	139
	Speaker : Maki Oi (Otsu Red Cross Hospital, Japan)	
P34-5	A CASE OF ATRIAL TACHYCARDIA IN WHICH ENTRAINMENT PACING WAS EFFECTIVE	139
	Speaker : Hiroyuki Sakurane (Kindai University Nara Hospital, Japan)	
P34-6	A FEBRILE PNEUMONIAE COULD TELL US THE SEVERE PULMONARY VEIN STENOSIS FOLLOWING THE SECOND PULMONARY VEIN ISOLATION IN PATIENT WITH PERSISTENT ATRIAL FIBRILLATION	140
	Speaker : Makito Kaneshiro (Nagoya Tokushukai General Hospital, Japan)	
P34-7	COMPLICATION PREVENTION IN AF ABLATION: TRANSSEPTAL PUNCTURE IN CASE OF ATRIAL SEPTUM ACCESSORY APPENDAGE	140
	Speaker : Kazuki Iso (Nihon University Hospital, Japan)	

Poster 35

Case ABL 9

9:00-10:10

Chair : Tamio Nakajima (Yamato Kashihara Hospital, Japan)
 Chair : Takayuki Nagai (Noel Clinic, Japan)

P35-1	A CASE OF SUCCESSFUL ABLATION OF AN ACCESSORY PATHWAY WITHIN THE MID CARDIAC VEIN IN A PATIENT WITH ATRIOVENTRICULAR REENTRANT TACHYCARDIA	141
	Speaker : Shimpei Kuno (Aichi Medical University, Japan)	
P35-2	ATRIO-VENTRICULAR BLOCK DURING CAVOTRICUSPID ISTHMUS ABLATION OF ATRIAL FLUTTER IN A PATIENT WITH RIGHT BUNDLE BRANCH BLOCK AND LEFT ANTERIOR HEMIBLOCK	142
	Speaker : Yuta Okabe (Ibaraki Prefectural Central Hospital, Japan)	
P35-3	A CASE OF DOUBLE SUPRAVENTRICULAR TACHYCARDIA WITH ORTHODROMIC RECIPROCATING TACHYCARDIA OF DIFFERENT TACHYCARDIA CYCLES AND ATRIOVENTRICULAR NODAL REENTRANT TACHYCARDIA	142
	Speaker : Takamasa Ishikawa (Showa University, Japan)	
P35-4	CHANGES IN THE DELTA WAVE MORPHOLOGY DUE TO MULTIPLE ACCESSORY PATHWAYS	143
	Speaker : Shinichi Harada (Sakurabashi Watanabe Hospital, Japan)	
P35-5	A CASE OF TYPICAL AVNRT CONCOMITANT WITH LEFT-SIDED ACCESSORY PATHWAY AND FOCAL AT	143
	Speaker : Yui Kitami (National Center for Global Health and Medicine, Japan)	

Poster 36

AF 11

10:50-12:00

Chair : Atsushi Suzuki (Yodogawa Christian Hospital, Japan)
 Chair : Sou Otsuki (Niigata University Graduate School of Medical and Dental Sciences, Japan)

P36-1	FIRST CLINICAL EXPERIENCE USING NOVEL TEMPERATURE-CONTROLLED RADIOFREQUENCY ABLATION SYSTEM IN PATIENTS WITH ATRIAL FIBRILLATION	144
	Speaker : Shunichi Higashiya (Okayama Heart Clinic, Japan)	
P36-2	SINOATRIAL NODAL PACEMAKER SHIFT ASSOCIATED WITH ATRIAL FIBRILLATION ABLATION	145
	Speaker : Katsuaki Yokoyama (Nihon University Hospital, Japan)	
P36-3	RELATIONSHIP BETWEEN P-WAVE MORPHOLOGY AND LEFT ATRIAL REMODELING: INSIGHTS FROM MYOCARDIAL INJURY AFTER CRYOBALLOON ABLATION	145
	Speaker : Masamichi Yano (Osaka Rosai Hospital, Japan)	

P36-4	NON-PULMONARY VEIN TRIGGERS INDUCIBILITY IN PATIENTS UNDERGOING REPEATED ABLATION FOR ATRIAL FIBRILLATION	146
	Speaker : Kazuhiro Nagaoka (St. Mary's Hospital, Japan)	
P36-5	演題は取り下げられました	146

Poster 37

AF 12 10:50-12:00

Chair : Tetsuya Watanabe (Yao Municipal Hospital, Japan)
 Chair : Mitsuru Takami (Kobe University Graduate School of Medicine, Japan)

P37-1	ROLE OF ANGIOTENSIN RECEPTOR NEPRILYSIN INHIBITOR IN CATHETER ABLATION THERAPY FOR ATRIAL FIBRILLATION	147
	Speaker : Shozo Kaneko (Kumamoto University Hospital, Japan)	
P37-2	RIGHT VENTRICULAR STROKE WORK INDEX AND RIGHT VENTRICULAR-PULMONARY ARTERIAL COUPLING RATIO EVALUATED BY ECHOCARDIOGRAPHY IN ATRIAL FIBRILLATION PATIENTS WITH CATHETER ABLATION	148
	Speaker : Hironori Yoshida (Yokohama Rosai Hospital, Japan)	
P37-3	IMPACT OF THE CATHETER ABLATION IN ATRIAL FIBRILLATION PATIENTS CONCOMITANT WITH HUMAN IM-MUNODEFICIENCY VIRUS INFECTION	148
	Speaker : Yoshinari Enomoto (Center Hospital of National Center for Global Health and Medicine, Japan)	
P37-4	EFFECT OF PHARMACOLOGICAL CARIOVERSION AND ELECTRICAL CARIOVERSION IN PREDICTING OUTCOMES OF CATHETER ABLATION FOR PERSISTENT ATRIAL FIBRILLATION	149
	Speaker : Hosei Kikushima (Toho University Omori Medical Center, Japan)	
P37-5	EFFICACY OF CATHETER ABLATION TO ATRIAL FIBRILLATION OR FLUTTER FOR ELDERLY PATIENTS OVER 90 YEARS OLD	149
	Speaker : Akira Sato (Japanese Red Cross Saitama Hospital, Japan)	
P37-6	RECONNECTION SITE AFTER CRYOBALLOON PULMONARY VEIN ISOLATION IN PATIENTS WITH ATRIAL FIBRILLATION	150
	Speaker : Kazunari Kobayashi (Fukuyama Cardiovascular Hospital, Japan)	

Poster 38

AT/PSVT 2 10:50-12:00

Chair : Kazuyasu Yoshitani (Shiroyama Hospital, Japan)
 Chair : Katsuhide Hayashi (The University of Occupational and Environmental Health, Japan)

P38-1	STUDY OF 50 CASES OF REFRACTORY ATRIAL TACHYCARDIA ANALYZED USING LAT HISTOGRAM	151
	Speaker : Chisato Kochi (Nagano Chuo Hospital, Japan)	
P38-2	NON ISTHMUS DEPENDENT ATRIAL FLUTTER: WHICH IS MORE LIKELY TO BE A TRIGGERING FACTOR, OPEN HEART SURGERY OR CATHETER ABLATION?	152
	Speaker : Tadashi Hoshiyama (Kumamoto University Hospital, Japan)	
P38-3	CHARACTERISTICS AND MECHANISMS OF ATRIAL TACHYARRHYTHMIAS FOLLOWING SURGICAL TREATMENT FOR ATRIAL FIBRILLATION	152
	Speaker : Toshiki Arai (Nippon Medical School Hospital, Japan)	
P38-4	THE COMPLETION RATE OF MITRAL ISTHMUS BLOCK LINE IN THE SECOND SESSION MIGHT BE HIGH EVEN AFTER THE FAILURE OF THE FIRST ABLATION	153
	Speaker : Takayuki Okamoto (Toyota Kosei Hospital, Japan)	

Poster 39

Case その他 10:50-12:00

Chair : Takeshi Tomita (North Alps Medical Center Azumi Hospital, Japan)
 Chair : Hideyuki Hasebe (Shizuoka Saiseikai General Hospital, Japan)

P39-1	A CASE OF BIATRIAL MURAL THROMBI AFTER WOLF-OHTSUKA II PROCEDURE	154
	Speaker : Keiji Inoue (Kyoto Second Red Cross Hospital, Japan)	
P39-2	A CASE OF DRUG-INDUCED QT PROLONGATION SYNDROME WITH CARDIAC DYSFUNCTION WAS EFFECTIVELY MANAGED BY CORONARY SINUS PACING	155
	Speaker : Hiroataka Senju (Itabashi Chuo Medical Center, Japan)	
P39-3	IDIOPATHIC VENTRICULAR FIBRILLATION IN A PATIENT WITH ARRHYTHMIC MITRAL VALVE PROLAPSE/MITRAL ANNULAR DISJUNCTION	155
	Speaker : Saori Asada (Okayama University, Japan)	
P39-4	LARGE RIGHT VENTRICULAR BRANCH CAN PARADOXICALLY COMPLICATE THE ELECTROCARDIOGRAPHIC DIAGNOSIS OF RIGHT VENTRICULAR INFARCTION	156
	Speaker : Keiji Matsunaga (Kagawa University, Japan)	
P39-5	TWO CASES OF SURGICAL REPAIR FOR FATAL COMPLICATIONS BY CATHETER ABLATION	156
	Speaker : Yusuke Nakata (Fukuoka Red Cross Hospital, Japan)	

ポスター会場 | ホテル日航金沢 4F 鶴の間

Poster 40

AF balloon 4

9:00-10:10

Chair : Yasushi Suzuki (Aichi Medical University, Japan)
Chair : Yukihiro Inamura (Japanese Red Cross Saitama Hospital, Japan)

P40-1	INTRACARDIAC DEFIBRILLATION THRESHOLD IS ASSOCIATED WITH RECURRENCE OF PERSISTENT ATRIAL FIBRILLATION AFTER CRYOBALLOON ABLATION	157
	Speaker : Shintaro Yao (Toho University Omori Medical Center, Japan)	
P40-2	COMPARATIVE ANALYSIS OF PHRENIC NERVE INJURY WITH TWO CRYOBALLOON TECHNOLOGIES BASED ON FLUOROSCOPIC POSITIONING	158
	Speaker : Hirofumi Kujiraoka (Tokyo Metropolitan Hiroo Hospital, Japan)	
P40-3	ACUTE MYOCARDIAL INJURY AFTER DUAL-DIAMETER POLARx FIT CRYOBALLOON ABLATION FOR PAROXYSMAL ATRIAL FIBRILLATION	158
	Speaker : Hiroshi Tasaka (Kurashiki Central Hospital, Japan)	
P40-4	RECOVERY PERIOD OF PHRENIC NERVE PALSY COMPLICATED WITH POLAR Fit 28mm OR 31mm	159
	Speaker : So Asano (Sakakibara Heart Institute, Japan)	
P40-5	RESULTS OF THE POLARx AND THE Arctic Front Advance Pro CRYOBALLOON FOR PULMONARY VEIN ISOLATION IN PATIENTS WITH SYMPTOMATIC PAROXYSMAL ATRIAL FIBRILLATION AT OUR INSTITUTION	159
	Speaker : Yoshihide Tanabe (Yokohama Rosai Hospital, Japan)	
P40-6	ELASTIC ATRIAL SEPTUM MIGHT MAKE LASER BALLOON ABLATION DIFFICULT	160
	Speaker : Reiko Sakurai (Toyota Kosei Hospital, Japan)	

Poster 41

Clinical Studies 4

9:00-10:10

Chair : Satoshi Kawada (Kochi Health Sciences Center, Japan)
Chair : Masahiro Maruyama (Kindai University, Japan)

P41-1	THE PREVALENCE AND RISK FACTORS OF EARLY REPOLARIZATION SYNDROME IN YOUNG GENERATION USING ANNUAL CHECK-UP	161
	Speaker : Toshinori Chiba (Chiba University Graduate School of Medicine, Japan)	
P41-2	PREDICTING INDUCIBILITY OF ATRIAL TACHYCARDIA AFTER PULMONARY VEIN ISOLATION USING AUTOMATED CONDUCTION VELOCITY MAPPING	162
	Speaker : Kohei Iwasa (Sakurabashi Watanabe Hospital, Japan)	
P41-3	CHARACTERISTICS AND IMPACT OF ATRIAL TACHYARRHYTHMIA IN ATTR-CM PATIENTS	162
	Speaker : Kazuki Mitarai (Oita University Hospital, Japan)	

- P41-4 THE USEFULNESS OF 18-LEAD ELECTROCARDIOGRAM IN DIAGNOSING THE SEVERITY FOR PATIENTS WITH PULMONARY EMBOLISM 163
Speaker : Satoshi Hayashida (Kawaguchi Municipal Medical Center, Japan)
- P41-5 PREVALENCE OF SLEEP DISORDERED BREATHING AND CHEYNE-STOKES RESPIRATION IN PATIENTS WITH ATRIAL FIBRILLATION 163
Speaker : Hiroki Matsumoto (Juntendo University Hospital, Japan)
- P41-6 IMPACT OF ARRHYTHMIA RECURRENCE FORM AFTER 2ND SESSION OF CATHETER ABLATION OF ATRIAL FIBRILLATION: IS AT A GOOD SIGN? 164
Speaker : Noriyuki Kobayashi (Osaka Rosai Hospital, Japan)
- P41-7 THE RELATIONSHIPS BETWEEN THE LEFT VENTRICULAR FIBROSIS AND THE AF RECURRENCE AFTER 1ST SESSION CATHETER ABLATION 164
Speaker : Yuichiro Tsuruta (Kumamoto University Hospital, Japan)

Poster 42

PVC /VT

10:50-12:00

Chair : Hidehira Fukaya (Kitasato University, Japan)
Chair : Hisaki Makimoto (Jichi Medical University, Japan)

- P42-1 A COMPARATIVE ANALYSIS OF GENERAL ANESTHESIA AND LOCAL ANESTHESIA FOR THE ABLATION OF THE RVOT-PVC: INSIGHTS FROM THE CARTONET SYSTEM 165
Speaker : Kenta Takahashi (Tokyo Heart Rhythm Clinic, Japan)
- P42-2 CHARACTERISTIC POTENTIAL AT PREMATURE VENTRICULAR CONTRACTION ORIGIN SITE DURING SINUS RHYTHM 166
Speaker : Yuta Taomoto (Musashino Red Cross Hospital, Japan)
- P42-3 TWO SUCCESSFUL CHEMICAL ABLATION CASES TARGETING THE COMMUNICATING BRANCH FOR VENTRICULAR ARRHYTHMIAS ORIGINATING FROM THE LEFT VENTRICULAR SUMMIT REGION 166
Speaker : Tomohiro Tahara (Tsuchiura Kyodo General Hospital, Japan)
- P42-4 INITIAL EXPERIENCE OF NOVEL OPTRELL MULTIPOLAR ANNOTATION FOR VENTRICULAR TACHYCARDIA ABLATION: A COMPARISON OF CONVENTIONAL ELECTROGRAM ANNOTATION ALGORITHMS 167
Speaker : Taihei Itoh (Hirosaki University, Japan)
- P42-5 ELECTROPHYSIOLOGICAL CHARACTERISTICS OF IDIOPATHIC PREMATURE VENTRICULAR CONTRACTIONS ORIGINATING FROM LEFT VENTRICULAR OUTFLOW TRACT AND LEFT VENTRICULAR SUMMIT 167
Speaker : Yuta Nagamori (Ishikawa Prefectural Central Hospital, Japan)
- P42-6 USEFULNESS OF MICROELECTRODES-GUIDED MAPPING FOR PREMATURE VENTRICULAR CONTRACTION ABLATION 168
Speaker : Junichi Ooka (Kobe City Medical Center General Hospital, Japan)
- P42-7 IMPACT OF PRECORDIAL TRANSITION ON ABLATING PARAHISIAN VENTRICULAR ARRHYTHMIAS 168
Speaker : Keita Miki (International University Health and Welfare Hospital, Japan)

Poster 43

Bradycardias/Tachycardias

10:50-12:00

Chair : Taku Nishida (Nara Medical University, Japan)
Chair : Teruki Yokoyama (Osaka University Graduate School of Medicine, Japan)

- P43-1 WHICH SENSING VECTOR SHOULD BE CHOSEN FOR A S-ICD? 169
Speaker : Masako Baba (Ibaraki Prefecutrer Central Hospital, Japan)
- P43-2 ASSESSMENT OF LEADLESS PACEMAKER IN PATIENTS UNDERGOING ATRIOVENTRICULAR NODE ABLATION FOR ATRIAL ARRHYTHMIA 170
Speaker : Nobuhisa Kodera (Shonan Kamakura General Hospital, Japan)
- P43-3 THE IMPACT OF REMOTE MONITORING IN WEARABLE CARDIOVERTER DEFIBRILLATORS 170
Speaker : Yoshifumi Ikeda (Saitama Medical University International Medical Center, Japan)

P43-4 COMPREHENSIVE THERAPY WITH CATHETER ABLATION AND INTRINSIC ANTI-TACHYCARDIA PACING FOR REFRACTORY VENTRICULAR TACHYCARDIA 171
 Speaker : Koichiro Yamaoka (Tokyo Metropolitan Hiroo Hospital, Japan)

P43-5 EXAMINATION OF INITIAL TREATMENT RESULTS OF LEFT BUNDLE BRANCH PACING IN OUR HOSPITAL 171
 Speaker : Kensuke Suzuki (Sagamihara Kyodo Hospital, Japan)

P43-6 IMPLANTABLE CARDIOVERTER-DEFIBRILLATOR SHOCKS AND PROGNOSIS IN OUR HOSPITAL 172
 Speaker : Hitoshi Hirano (Tokyo Metropolitan Bokutoh Hospital, Japan)